

## Area of Fire Origin Report

	Description of Area of Origin	Yr	Yr	Yr	Yr	Yr	Yr	Yr	Yr	Total	Total	Total
		2000	2001	2002	2003	2004	2005	2006	2007	Count	%	Loss
00	Other	3	2	0	1	0	3	2		11	2.3%	\$91,261
02	Exterior stairway, ramp, or fire escape	0	1	0	0	1	1	0		3	0.6%	\$164,003
05	Entrance way, lobby	0	0	0	0	0	2	0		2	0.4%	\$85,102
09	Egress/exit, Other	0	1	0	2	0	0	0		3	0.6%	\$20,503
10	Assembly or sales area, Other	0	0	0	0	0	0	1		1	0.2%	\$2,002
13	Assembly Area - less than 100 persons	0	0	0	0	2	0	0		2	0.4%	\$210,752
14	Common room, den, family room, living room, lounge	2	7	1	5	1	1	3		20	4.2%	\$356,070
15	Sales area, showroom (exclude display window)	0	0	1	0	0	1	0		2	0.4%	\$407
20	Function area, Other	3	2	5	2	3	2	6		23	4.8%	\$1,020,675
21	Bedroom - < 5 persons; included are jail or prison	12	7	2	6	6	8	7		48	10.0%	\$1,986,820
22	Bedroom - < 5 persons; including barrack/dormitory	0	0	0	0	0	0	1		1	0.2%	\$352
24	Cooking area, kitchen	12	12	24	11	9	11	7		86	17.9%	\$772,247
241	Dining Room	0	0	0	0	0	0	1		1	0.2%	\$192,501
25	Bathroom, checkroom, lavatory, locker room	6	1	1	2	3	2	7		22	4.6%	\$141,823
26	Laundry area, wash house (laundry)	4	4	9	10	8	4	3		42	8.7%	\$713,522
27	Office	4	1	2	1	0	0	1		9	1.9%	\$303,159
28	Personal service area, barber/beauty salon area	0	0	0	0	1	0	0		1	0.2%	\$1
30	Technical processing areas, Other	0	0	0	0	0	0	1		1	0.2%	\$8,001
35	Computer room, control room or center	1	0	1	0	0	0	0		2	0.4%	\$8,002
38	Processing/manufacturing area, workroom	0	0	0	3	0	0	1		4	0.8%	\$145,305
40	Storage area, Other	1	1	4	1	4	0	1		12	2.5%	\$581,012
41	Storage room, area, tank, or bin	1	0	1	2	1	0	1		6	1.2%	\$32,008
42	Closet	0	2	3	0	0	1	2		8	1.7%	\$247,508
43	Storage: supplies or tools; dead storage	0	1	0	4	0	1	0		6	1.2%	\$135,706
44	Records storage room, storage vault	0	0	0	1	0	0	0		1	0.2%	\$2,001
45	Shipping/receiving area; loading area, dock or bay	0	0	0	1	0	0	0		1	0.2%	\$51
46	Chute/container - trash, rubbish, waste	0	1	0	1	0	0	0		2	0.4%	\$4,002
47	Vehicle storage area; garage, carport	4	2	6	6	3	4	1		26	5.4%	\$730,379
50	Service facilities, Other	1	0	0	0	0	0	0		1	0.2%	\$1,500,002
52	Conduit, pipe, utility, or ventilation shaft	0	0	0	1	0	0	0		1	0.2%	\$101
55	Duct: hvac, cable, exhaust, heating, or AC	0	0	0	0	1	1	1		3	0.6%	\$3,504
60	Equipment or service area, Other	1	0	3	1	1	0	0		6	1.2%	\$16,742
61	Machinery room or area; elevator machinery room	0	1	0	0	0	0	0		1	0.2%	\$200,002
62	Heating room or area, water heater area	0	3	3	2	4	0	2		14	2.9%	\$53,825
63	Switchgear area, transformer vault	0	0	0	0	1	0	1		2	0.4%	\$6,502
64	Incinerator area	0	0	0	0	0	1	0		1	0.2%	\$1
65	Maintenance shop or area, paint shop or area	0	0	0	0	2	0	0		2	0.4%	\$3,502
70	Structural area, Other	0	0	1	2	0	0	3		6	1.2%	\$80,756
71	Substructure area or space, crawl space	0	0	0	0	1	1	0		2	0.4%	\$5,002
72	Exterior balcony, unenclosed porch	2	1	1	2	0	0	0		6	1.2%	\$20,858
73	Ceiling & floor assembly, crawl space btwn stories	0	1	0	0	1	0	1		3	0.6%	\$12,203
74	Attic: vacant, crawl space above top story, cupola	0	2	2	1	3	5	2		15	3.1%	\$864,718
75	Wall assembly	0	0	2	0	0	0	3		5	1.0%	\$155,005
76	Wall surface: exterior	0	1	1	2	5	2	1		12	2.5%	\$69,473
77	Roof surface: exterior	1	0	0	3	0	4	0		8	1.7%	\$8,758
78	Awning	0	0	0	0		0	1		1	0.2%	\$50,001
80	Vehicle area, Other	0	1	0	0	0	0	0		1	0.2%	\$2,502
83	Engine area, running gear, wheel area	0	0	0	0	1	0	1		2	0.4%	\$66,002
90	Outside area, Other	3	0	4	0	6	2	4		19	4.0%	\$422,600
93	Courtyard, patio, porch, terrace	2	1	0	0	1	2	1		7	1.5%	\$317,009
96	Construction/renovation area	0	0	0	0	1	0	0		1	0.2%	\$1
98	Vacant structural area	0	0	3	5	0	0	0		8	1.7%	\$5,845
UU	Undetermined	4	1	1	1	0	1	0		8	1.7%	\$720,259
	<b>Total</b>	<b>67</b>	<b>57</b>	<b>81</b>	<b>79</b>	<b>70</b>	<b>60</b>	<b>67</b>		<b>481</b>	<b>100.0%</b>	<b>\$12,540,348</b>

## Area of Fire Origin Report

Sorted by Frequency within Category

Description	Yr	Yr	Yr	Yr	Yr	Yr	Yr	Total
of Area of Origin	2000	2001	2002	2003	2004	2005	2006	Count
Cooking area, kitchen	12	12	24	11	9	11	7	86
Bedroom - < 5 persons; included are jail or prison	12	7	2	6	6	8	7	48
Laundry area, wash house (laundry)	4	4	9	10	8	4	3	42
Vehicle storage area; garage, carport	4	2	6	6	3	4	1	26
Function area, Other	3	2	5	2	3	2	6	23
Bathroom, checkroom, lavatory, locker room	6	1	1	2	3	2	7	22
Common room, den, family room, living room, lounge	2	7	1	5	1	1	3	20
Outside area, Other	3	0	4	0	6	2	4	19
Attic: vacant, crawl space above top story, cupola	0	2	2	1	3	5	2	15
Heating room or area, water heater area	0	3	3	2	4	0	2	14
Storage area, Other	1	1	4	1	4	0	1	12
Wall surface: exterior	0	1	1	2	5	2	1	12
Other	3	2	0	1	0	3	2	11
Office	4	1	2	1	0	0	1	9
Roof surface: exterior	1	0	0	3	0	4	0	8
Vacant structural area	0	0	3	5	0	0	0	8
Undetermined	4	1	1	1	0	1	0	8
Closet	0	2	3	0	0	1	2	8
Courtyard, patio, porch, terrace	2	1	0	0	1	2	1	7
Storage: supplies or tools; dead storage	0	1	0	4	0	1	0	6
Equipment or service area, Other	1	0	3	1	1	0	0	6
Exterior balcony, unenclosed porch	2	1	1	2	0	0	0	6
Storage room, area, tank, or bin	1	0	1	2	1	0	1	6
Structural area, Other	0	0	1	2	0	0	3	6
Wall assembly	0	0	2	0	0	0	3	5
Processing/manufacturing area, workroom	0	0	0	3	0	0	1	4
Exterior stairway, ramp, or fire escape	0	1	0	0	1	1	0	3
Egress/exit, Other	0	1	0	2	0	0	0	3
Duct: hvac, cable, exhaust, heating, or AC	0	0	0	0	1	1	1	3
Ceiling & floor assembly, crawl space btwn stories	0	1	0	0	1	0	1	3
Entrance way, lobby	0	0	0	0	0	2	0	2
Assembly Area - less than 100 persons	0	0	0	0	2	0	0	2
Sales area, showroom (exclude display window)	0	0	1	0	0	1	0	2
Computer room, control room or center	1	0	1	0	0	0	0	2
Chute/container - trash, rubbish, waste	0	1	0	1	0	0	0	2
Maintenance shop or area, paint shop or area	0	0	0	0	2	0	0	2
Substructure area or space, crawl space	0	0	0	0	1	1	0	2
Switchgear area, transformer vault	0	0	0	0	1	0	1	2
Engine area, running gear, wheel area	0	0	0	0	1	0	1	2
Personal service area, barber/beauty salon area	0	0	0	0	1	0	0	1
Records storage room, storage vault	0	0	0	1	0	0	0	1
Shipping/receiving area; loading area, dock or bay	0	0	0	1	0	0	0	1
Service facilities, Other	1	0	0	0	0	0	0	1
Conduit, pipe, utility, or ventilation shaft	0	0	0	1	0	0	0	1
Machinery room or area; elevator machinery room	0	1	0	0	0	0	0	1
Incinerator area	0	0	0	0	0	1	0	1
Vehicle area, Other	0	1	0	0	0	0	0	1
Construction/renovation area	0	0	0	0	1	0	0	1
<b>Total</b>	<b>67</b>	<b>57</b>	<b>81</b>	<b>79</b>	<b>70</b>	<b>60</b>	<b>62</b>	<b>476</b>

## Area of Fire Origin Report

Sorted by Dollar Loss within Category

Description of Area of Origin	Yr	Yr	Yr	Yr	Yr	Yr	Yr	Total	Total Loss
	2000	2001	2002	2003	2004	2005	2006		
Bedroom - < 5 persons; included are jail or prison	12	7	2	6	6	8	7	48	\$1,986,820
Service facilities, Other	1	0	0	0	0	0	0	1	\$1,500,002
Function area, Other	3	2	5	2	3	2	2	19	\$1,020,675
Attic: vacant, crawl space above top story, cupola	0	2	2	1	3	5	2	15	\$864,718
Cooking area, kitchen	12	12	24	11	9	11	7	86	\$772,247
Vehicle storage area; garage, carport	4	2	6	6	3	4	0	25	\$730,379
Undetermined	4	1	1	1	0	1	0	8	\$720,259
Laundry area, wash house (laundry)	4	4	9	10	8	4	3	42	\$713,522
Storage area, Other	1	1	4	1	4	0	1	12	\$581,012
Outside area, Other	3	0	4	0	6	2	4	19	\$422,600
Common room, den, family room, living room, lounge	2	7	1	5	1	1	3	20	\$356,070
Courtyard, patio, porch, terrace	2	1	0	0	1	2	1	7	\$317,009
Office	4	1	2	1	0	0	1	9	\$303,159
Closet	0	2	3	0	0	1	2	8	\$247,508
Assembly Area - less than 100 persons	0	0	0	0	2	0	0	2	\$210,752
Machinery room or area; elevator machinery room	0	1	0	0	0	0	0	1	\$200,002
Dining Room	0	0	0	0	0	0	1	1	\$192,501
Exterior stairway, ramp, or fire escape	0	1	0	0	1	1	0	3	\$164,003
Wall assembly	0	0	2	0	0	0	3	5	\$155,005
Processing/manufacturing area, workroom	0	0	0	3	0	0	1	4	\$145,305
Bathroom, checkroom, lavatory, locker room	6	1	1	2	3	2	7	22	\$141,823
Storage: supplies or tools; dead storage	0	1	0	4	0	1	0	6	\$135,706
Other	3	2	0	1	0	3	2	11	\$91,261
Entrance way, lobby	0	0	0	0	0	2	0	2	\$85,102
Structural area, Other	0	0	1	2	0	0	3	6	\$80,756
Wall surface: exterior	0	1	1	2	5	2	1	12	\$69,473
Engine area, running gear, wheel area	0	0	0	0	1	0	1	2	\$66,002
Heating room or area, water heater area	0	3	3	2	4	0	2	14	\$53,825
Awning	0	0	0	0	0	0	1	1	\$50,001
Storage room, area, tank, or bin	1	0	1	2	1	0	1	6	\$32,008
Exterior balcony, unenclosed porch	2	1	1	2	0	0	0	6	\$20,858
Egress/exit, Other	0	1	0	2	0	0	0	3	\$20,503
Equipment or service area, Other	1	0	3	1	1	0	0	6	\$16,742
Ceiling & floor assembly, crawl space btwn stories	0	1	0	0	1	0	1	3	\$12,203
Roof surface: exterior	1	0	0	3	0	4	0	8	\$8,758
Computer room, control room or center	1	0	1	0	0	0	0	2	\$8,002
Technical processing areas, Other	0	0	0	0	0	0	1	1	\$8,001
Switchgear area, transformer vault	0	0	0	0	1	0	1	2	\$6,502
Vacant structural area	0	0	3	5	0	0	0	8	\$5,845
Substructure area or space, crawl space	0	0	0	0	1	1	0	2	\$5,002
Chute/container - trash, rubbish, waste	0	1	0	1	0	0	0	2	\$4,002
Duct: hvac, cable, exhaust, heating, or AC	0	0	0	0	1	1	1	3	\$3,504
Maintenance shop or area, paint shop or area	0	0	0	0	2	0	0	2	\$3,502
Vehicle area, Other	0	1	0	0	0	0	0	1	\$2,502
Assembly or sales area, Other	0	0	0	0	0	0	1	1	\$2,002
Records storage room, storage vault	0	0	0	1	0	0	0	1	\$2,001
Sales area, showroom (exclude display window)	0	0	1	0	0	1	0	2	\$407
Bedroom - < 5 persons; including barrack/dormitory	0	0	0	0	0	0	1	1	\$352
Conduit, pipe, utility, or ventilation shaft	0	0	0	1	0	0	0	1	\$101
Shipping/receiving area; loading area, dock or bay	0	0	0	1	0	0	0	1	\$51
Personal service area, barber/beauty salon area	0	0	0	0	1	0	0	1	\$1
Incinerator area	0	0	0	0	0	1	0	1	\$1
Construction/renovation area	0	0	0	0	1	0	0	1	\$1
<b>Total</b>	<b>67</b>	<b>57</b>	<b>81</b>	<b>79</b>	<b>70</b>	<b>60</b>	<b>62</b>	<b>476</b>	<b>\$12,540,348</b>

## Area of Fire Origin Report - 2000 - 2006

Sorted by Frequency

### Where Fires Occur Most Often

Cooking area, kitchen	86	17.8%
Bedroom - < 5 persons; included are jail or prison	48	10.0%
Laundry area, wash house (laundry)	42	8.7%
Vehicle storage area; garage, carport	26	5.4%
Function area, Other	23	4.8%
Bathroom, checkroom, lavatory, locker room	22	4.6%
Common room, den, family room, living room, lounge	20	4.1%
Outside area, Other	19	3.9%
Attic: vacant, crawl space above top story, cupola	15	3.1%
Heating room or area, water heater area	14	2.9%
Storage area, Other	12	2.5%
Wall surface: exterior	12	2.5%
Other	11	2.3%
Office	9	1.9%
Closet	8	1.7%
Roof surface: exterior	8	1.7%
Vacant structural area	8	1.7%
Undetermined	8	1.7%
Courtyard, patio, porch, terrace	7	1.5%
Storage room, area, tank, or bin	6	1.2%
Storage: supplies or tools; dead storage	6	1.2%
Equipment or service area, Other	6	1.2%
Structural area, Other	6	1.2%
Exterior balcony, unenclosed porch	6	1.2%
Wall assembly	5	1.0%
Processing/manufacturing area, workroom	4	0.8%
Exterior stairway, ramp, or fire escape	3	0.6%
Egress/exit, Other	3	0.6%
Duct: hvac, cable, exhaust, heating, or AC	3	0.6%
Ceiling & floor assembly, crawl space btwn stories	3	0.6%
Entrance way, lobby	2	0.4%
Assembly Area - less than 100 persons	2	0.4%
Sales area, showroom (exclude display window)	2	0.4%
Computer room, control room or center	2	0.4%
Chute/container - trash, rubbish, waste	2	0.4%
Switchgear area, transformer vault	2	0.4%
Maintenance shop or area, paint shop or area	2	0.4%
Substructure area or space, crawl space	2	0.4%
Awning	2	0.4%
Engine area, running gear, wheel area	2	0.4%
Assembly or sales area, Other	1	0.2%
Bedroom - < 5 persons; including barrack/dormitory	1	0.2%
Dining Room	1	0.2%
Personal service area, barber/beauty salon area	1	0.2%
Technical processing areas, Other	1	0.2%
Records storage room, storage vault	1	0.2%
Shipping/receiving area; loading area, dock or bay	1	0.2%
Service facilities, Other	1	0.2%
Conduit, pipe, utility, or ventilation shaft	1	0.2%
Machinery room or area; elevator machinery room	1	0.2%
Incinerator area	1	0.2%
Vehicle area, Other	1	0.2%
Construction/renovation area	1	0.2%
<b>Total For Period</b>	<b>482</b>	<b>100.0%</b>

- 1** Top Three Most Active Locations
- 2** Where Structure Fires Occur
- 3** Most Frequently

